

Rock
The Look of
Natural Stone



EARTH

— COLLECTION —

300x600mm

EARTH

— COLLECTION —

300x600mm



Driven through trust, innovation and technology, ReyCera is one of the leading manufacturers and exporters of ceramic products and tiles. With the state-of-art infrastructure facility, we lead with an intelligent approach to creative design and high-end technology, offering various international standard quality products. Working along with a wide range of products, ReyCera is the one-stop solution to redesigning and planning homes and workspaces.

At ReyCera, we believe in Keeping up with the new trends of art and infrastructure. Therefore we have introduced a new range - 'Earth Collection', boasting of ethnicity and inspired by nature. With an Intelligent Mix of Design and Technology, the Earth Collection instils colours and Textures from nature. Discover innovative ways to beautify your spaces. It comes in random moulds with 12 mm of thickness. This range is all set to infuse life to your walls and floors due to its unique mould pattern, thickness and rustic glaze.



Beautifying
Spaces
Inspired by
Nature



ZONAS RESIDENCIALES
RESIDENTIAL AREAS



PASEOS URBANOS
URBAN AREAS



TERRAZAS Y PATIOS
TERRACE & PATIOS



ZONAS COMERCIALES
COMMERCIAL AREAS



PISCINAS
SWIMMING POOLS



JARDINES
GARDENS

Stronger
Than The
Shore

1ST TIME IN INDIA

ONE *Concept* MULTIPLE SIZE

*R*andom
MOULDS


*m*odular
PARKING

*P*avimento
INTERIOR & EXTERIOR

EARTH

— COLLECTION —

300x600mm



Our Rustic Matt Finish gives easy solutions to urban areas and heavy traffic places. The best extruded GVT tile with 12 mm thickness and an antislip rate R11. Earth Collection Tiles are highly resistant against abrasion, as well as a strong bending resistance. Earth Collection is perfect for pedestrian areas, squares in the city, traffic areas, entrance of houses, urban area and all kind of heavy duty areas.

Inspired to
Elegant Decor





30x60cm



ALTROZ BEIGE

Random Faces

Modular
PARKING

Random
MOULDS

EARTH

— COLLECTION —



G1



G2



G3



G4

ONE *concept*
MULTIPLE SIZE



* After cutting the tiles you may apply them to the Floor and Wall.

Preview : Modular size of Altroz Beige





Preview : Modular size of Altroz Beige



Preview : Modular size of Altroz Beige



30x60cm



ALTROZ BROWN


Random Faces

Modular
PARKING

Random
MOULDS

EARTH

— COLLECTION —



G1



G2



G3



G4

ONE *Concept* MULTIPLE SIZE



* After cutting the tiles you may apply them to the Floor and Wall.

Preview : Modular size of Altroz Brown





Preview : Modular size of Altroz Brown



Preview : Modular size of Altroz Brown



30x60cm



ALTROZ CAFE

Random Faces

modular
PARKING

Random
MOULDS

EARTH

— COLLECTION —



G1



G2



G3



G4



EARTH — COLLECTION —

ONE *Concept*
MULTIPLE SIZE



* After cutting the tiles you may apply them to the Floor and Wall.

Preview : Modular size of Altroz Cafe





Preview : Modular size of Altroz Cafe



Preview : Modular size of Altroz Cafe



30x60cm
12 MM
THICKNESS

ALTROZ JET

Random Faces

modular
PARKING

Random
MOULDS

EARTH

— COLLECTION —



G1



G2



G3



G4

ONE *Concept* MULTIPLE SIZE



* After cutting the tiles you may apply them to the Floor and Wall.

Preview : Modular size of Altroz Jet



Preview : Modular size of Altroz Jet





Preview : Modular size of Altroz Jet



30x60cm

12 MM
THICKNESS

ALTROZ SLATE

Random Faces

modular
PARKING

Random
MOULDS

EARTH

— COLLECTION —



G1



G2



G3



G4

ONE *Concept* MULTIPLE SIZE



* After cutting the tiles you may apply them to the Floor and Wall.

Preview : Modular size of Altroz Slate



Preview : Modular size of Altroz Slate



Preview : Modular size of Altroz Slate





30x60cm



ALTROZ TERRA

Random Faces

modular
PARKING

Random
MOULDS

EARTH

— COLLECTION —



G1



G2



G3



G4



EARTH — COLLECTION —

ONE *concept*
MULTIPLE SIZE



* After cutting the tiles you may apply them to the Floor and Wall.

Preview : Modular size of Altroz Terra



Preview : Modular size of Altroz Terra



Preview : Modular size of Altroz Terra





MARTILLO RUST




**300X
600MM**

RUSTIC
MATT FINISH

12MM
THICKNESS

32
RANDOM

FORMAT SIZE : 30x60CM / 12"x24"



PACKAGING DETAILS :

PCS PER BOX	WEIGHT PER BOX	AREA COVERAGE	BOX PER PALLET
4 Pcs.	18 kg. (Approx)	0.72 sqm./per box	72






DESIGN : **MARTILLO RUST**
SIZE : **300X600MM**
FINISH : **RUSTIC MATT**
RANDOM : **32**





ROCA BROWN



300X
600MM


RUSTIC
MATT FINISH

12MM
THICKNESS

32
RANDOM

PACKAGING DETAILS :

PCS PER BOX	WEIGHT PER BOX	AREA COVERAGE	BOX PER PALLET
4 Pcs.	18 kg. (Approx)	0.72 sqm./per box	72






www.reycera.com

DESIGN : **ROCA BROWN**
SIZE : **300X600MM**
FINISH : **RUSTIC MATT**
RANDOM : **32**





ROCA GRIS



**300X
600MM**

RUSTIC
MATT FINISH

**12MM**
THICKNESS

32
RANDOM

PACKAGING DETAILS :

PCS PER BOX	WEIGHT PER BOX	AREA COVERAGE	BOX PER PALLET
4 Pcs.	18 kg. (Approx)	0.72 sqm./per box	72





www.reycera.com

DESIGN : **ROCA GRIS**
SIZE : **300X600MM**
FINISH : **RUSTIC MATT**
RANDOM : **32**





Piedra Grist



30x60cm / 12"x24"
RUSTIC MATT SURFACE


MODULAR PARKING TILES

EARTH
— COLLECTION —



Piedra Grist

Size & Thickness :



 **12 MM**
THICKNESS | **32**
RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :








Piedra Greck



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES

EARTH
— COLLECTION —



Size & Thickness :



 **12 MM**
THICKNESS | **32**
RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :



Vitrified Body



Water Resistance



Low Maintenance



Modularity



Technical Superiority



Application Wall / Floor



Random Moulds




2MM Spacer



High Strength



Ecological








Piedra Tangris



30x60cm / 12"x24"
RUSTIC MATT SURFACE


MODULAR PARKING TILES

EARTH
— COLLECTION —



Piedra Tangris


Size & Thickness :



Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :







Piedra Copper



30x60cm / 12"x24"
RUSTIC MATT SURFACE


MODULAR PARKING TILES

EARTH
— COLLECTION —



Piedra Copper

Size & Thickness :




 **12 MM**
THICKNESS

32
RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :








Ramos Anchor



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES

EARTH
— COLLECTION —



Ramos Anchor

Size & Thickness :




 **12 MM**
THICKNESS | **32**
RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :



Vitrified Body



Water Resistance



Low Maintenance



Modularity



Technical Superiority



Application Wall / Floor



Random Moulds




2MM Spacer



High Strength




Ecological







Ramos Cemento



30x60cm / 12"x24"
RUSTIC MATT SURFACE


MODULAR PARKING TILES

EARTH
— COLLECTION —



Ramos Cemento

Size & Thickness :



12 MM

THICKNESS

32

RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :

Vitrified Body

Water Resistance

Low Maintenance

Modularity

Technical Superiority

Application Wall / Floor

Random Moulds

2MM Spacer

High Strength


Ecological







Ramos Choco



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES

EARTH
— COLLECTION —



Ramos Choco

Size & Thickness :




 **12 MM**
THICKNESS

32
RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :



Vitrified Body



Water Resistance



Low Maintenance



Modularity



Technical Superiority



Application Wall / Floor



Random Moulds




2MM Spacer



High Strength



Ecological







Ramos Cotto



30x60cm / 12"x24"
RUSTIC MATT SURFACE


MODULAR PARKING TILES

EARTH
— COLLECTION —



Ramos Cotto

Size & Thickness :




12 MM THICKNESS | **32** RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :



Vitrified Body



Water Resistance



Low Maintenance



Modularity



Technical Superiority



Application Wall / Floor



Random Moulds



2MM Spacer



High Strength



Ecological







Ramos Moss



30x60cm / 12"x24"
RUSTIC MATT SURFACE

MODULAR PARKING TILES

EARTH
— COLLECTION —



Ramos Moss

Size & Thickness :




 **12 MM**
THICKNESS

32
RANDOMS

Packaging Details :

Pcs Per Box	Weight Per Box
4 Pcs.	18 kg. (Approx)
Area Coverage	Box Per Pallet
0.72 sqm./per box	72

Technical Notes :



Vitrified Body



Water Resistance



Low Maintenance



Modularity



Technical Superiority



Application Wall / Floor



Random Moulds




2MM Spacer



High Strength



Ecological







TECHNICAL FEATURES

STANDARD UNI EN 14411 - ISO 13006 Annex G Group Blb

TILE TYPE	GLAZED PORCELAIN TILE GROUP Blb	REFERENCE STANDARD
MANUFACTURING PROCESS	SINGLE FIRING	DRY PRESSED PORCELAIN TILE
SIZES	LENGTH AND WIDTH ±0.6% max LINERITY ±0.5% max THICKNESS ±5% max	UNI EN ISO 10545/2
WATER ABSORPTION	0.08 % < E ≤ 1%	UNI EN ISO 10545/3
BENDING STRENGTH	S ≥ 1300 N R ≥ 35 N/MM2	UNI EN ISO 10545/4
ABRASION RESISTANCE (GLAZED TILES)	PLEASE CHECK FOR EACH ITEM	UNI EN ISO 10545/7
THERMAL SHOCK	NO SAMPLE SHOW VISIBLE DEFECTS	UNI EN ISO 10545/9
FROST RESISTANCE	IT STANDS THE TEST	UNI EN ISO 10545/12
CHEMICAL RESISTANCE (ACIDS AND ALKALIS)	MINIMUM TYPE GLB	UNI EN ISO 10545/13
STAIN RESISTANCE	MINIMUM CLASS 4	UNI EN ISO 10545/14
SLIP RESISTANCE	R10	DIN 51130
SCRATCH HARDNESS OF SURFACE	8	UNI EN 101

Technical Features:



FIREPROOF
Fire-resistant products,
that does not emit
smoke or toxic substances.



UNALTERABLE COLORS
Colors are totally stable,
and cannot be altered by,
the exposure to the sun.



HYGIENIC
It does not retain organic
substances or bacteria,
thus preventing its proliferation.



WEAR RESISTANT
Resistant to abrasion,
and wear, which makes,
it a durable product.



WATER RESISTANT
Surface with low level of absorption,
which makes it resistant to
liquids and moisture.



RESISTANT TO CHEMICALS
Chemicals as detergents,
or solvents do not,
alter its surface.



RESISTANT TO STAINS
Its low porosity makes,
it a stain resistant tile,
resulting in easier cleanability.



ANTI SLIP
Its surface is non-slip,
responding to the,
international standards in force.



SCRATCH RESISTANT
The hardness of it's surface,
makes it scratch,
resistant and hard-wearing.



ECOLOGIC
100% natural product,
that can be easily recycled.

Application Area:



ZONAS RESIDENCIALES
RESIDENTIAL AREAS



PASEOS URBANOS
URBAN AREAS



TERRAZAS Y PATIOS
TERRACE & PATIOS



ZONAS COMERCIALES
COMMERCIAL AREAS



PISCINAS
SWIMMING POOLS



JARDINES
GARDENS

Packaging Details:

Size	pcs / Box	m²/ Box	Kg / Box
300x600mm	4 pcs.	0.72 Sq.Mtr.	18 KG (Approx)



Rey Cera Creation PVT LTD

Eden Ceramic City, Opp. Honest Hotel, 8-A, National Highway, At. Lalpar,
Dist. Morbi - 363 642, (Guj.) India.

DOMESTIC INQUIRY

Call:

+91 97277 70313

Mail:

info@reycera.com

EXPORT INQUIRY

Call:

+91 90999 06545

Mail:

export@reyceramic.com

www.reycera.com