



600X1200MM
GLOSSY FINISH

www.reycera.com

About us!

Rey Cera is one of the cutting edges and leading manufacturers and exporters of ceramic and tiles items. We work innovatively towards serving the client essentials and necessities as our top-notch requirement and provide the one-stop answer for redesigning and planning homes and workplaces.

We are dutiful to hand out the dealers, purchasers, and clientele at the highest significance and work in a row to keep informed the tiles and ceramic catalogue at monthly intervals with vividness and distinction by upholding the prerequisites in easy reach.

ReyCera is compact and stylish outlook tile designs as it comprises chosen normal materials. Because of its phenomenal highlights as simple support and low spongy properties, it needs rigid, sterile prerequisites. Products outlook by colored pigments and squashed mirrors, superior polyester tar gives the great appearance to the area. Our products are a perfect decision for business, private, or industry reason for a stylish outlook. Newness and headways, in examples, will give a better region outlook.

20+
YEAR OF EXPERIENCE

57+
EXPORT COUNTRY

800+
HAPPY CUSTOMERS

100%
QUALITY





“

Exceptional Surfaces Multifarious Application Possibilities!

From interior to exterior coverings and floors, from Heavy Duty such as Malls, Airports & Shops we have landed at Habitat, a proposal entirely dedicated to All Habitual Spaces an evolution capable of giving shape to design Urban Areas with a strong presence architectural.



Application Areas



KITCHENS



INTERIOR



BATHROOM



GYM



RESIDENTIAL



COMMERCIAL



HOSPITALS



URBAN
CENTERS

UNMATCHED ELEGANCE AND STRENGTH

These surfaces provide an extra edge with feature-rich attributes like resistance to weather and chemicals, easy-to-clean and maintain, abrasion proof, stain and scratch resistant that do not require special care. Create your envisioned ambiance for a hassle-free lifestyle.


TECHNICAL FEATURES

- | | | | | | |
|---|--|--|--|---|---|
| 
Scratch and Abrasion Resistant | 
Resistant to UV Rays | 
Easy to Clean Surface | 
Resistant to Fire and Heat | 
Frost Resistant Surface | 
Flatness and Stability Over Time |
| 
Impact Resistant Surface | 
Water Resistant Surface | 
Stain Resistant Surface | 
Hygienic and Suitable for Contact with Food | 
Resistant to Chemicals, Acids, Bases, and Solvents | 
Resistant to Mould, Mildew, And Fungus |





1st Indian ceramic industry to introduce patented **E N D M A T C H** concept across the globe



INTELLECTUAL
PROPERTY INDIA
PATENTS | DESIGNS | TRADE MARKS
GEOGRAPHICAL INDICATIONS




1ST
TIME
IN
WORLD

600X
600MM

600X
1200MM

800X
1600MM

1200X
1800MM



INFINITO
Exotic
COLLECTION

AGATA GREY

 **9mm**
Thickness

60 x 120 cm


high
strength



maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant







INFINITO
Exotic
COLLECTION

**CLOMAX
WHITE**


 **9mm
Thickness**

60 x 120 cm

- | | | |
|--|--|--|
| 
high
strength | 
maintenance
free | 
eco
friendly |
| 
random
designs | 
< 0.08% water
absorption | 
chemical
resistant |







INFINITO
Exotic
COLLECTION

CREST WHITE

 **9mm**
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





DUMAS NATURAL

 **9mm**
Thickness

60 x 120 cm


high
strength



maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





INFINITO
Exotic
COLLECTION



DUMAS PEACH

 **9mm**
Thickness

60 x 120 cm


high
strength


maintenance
free


eco
friendly


random
designs


< 0.08% water
absorption


chemical
resistant





MOON ICE MARBLE

 **9mm**
Thickness

60 x 120 cm

- | | | |
|--|--|--|
| 
high
strength | 
maintenance
free | 
eco
friendly |
| 
random
designs | 
< 0.08% water
absorption | 
chemical
resistant |






Oc INFINITO
ane
COLLECTION



ROTA WHITE

$\frac{\downarrow}{\uparrow}$ 9mm
Thickness

60 x 120 cm







infinite possibilities



... La Marmo Infinito ...

BAHIA CREMA

600x1200mm



Ocane
INFINITO
COLLECTION

BAHIA CREMA


POLISHED SURFACE



Size
600x1200mm



infinite possibilities



BAHIA GREY

600x1200mm



Ocane
COLLECTION

BAHIA GREY

POLISHED SURFACE



Size
600x1200mm

CLOUD ONYX

 **9mm**
Thickness

60 x 120 cm

- | | | |
|--|--|--|
| 
high
strength | 
maintenance
free | 
eco
friendly |
| 
random
designs | 
< 0.08% water
absorption | 
chemical
resistant |





Oc INFINITO
ane
COLLECTION



DYNA FANTASTIC

9mm
Thickness

60 x 120 cm



high
strength



maintenance
free



eco
friendly



random
designs



< 0.08% water
absorption



chemical
resistant






ESSENCE CREMA

9mm
Thickness

60 x 120 cm







infinite possibilities



FLORIDA BLUSTA

600x1200mm




INFINITO
Exotic
COLLECTION

FLORIDA BLUSTA

POLISHED SURFACE



Size
600x1200mm



infinite possibilities



FLORIDA NATURAL

600x1200mm



INFINITO
Exotic
COLLECTION

FLORIDA NATURAL

POLISHED SURFACE



Size
600x1200mm



infinite possibilities



 **ENDMATCH**
... La Marmo Infinito ...

FLORIDA PEACH

600x1200mm




Ocane
INFINITO
COLLECTION

FLORIDA PEACH

POLISHED SURFACE



Size
600x1200mm



infinite possibilities



GLACIA IVORY

600x1200mm



Ocane
COLLECTION

GLACIA IVORY

POLISHED SURFACE



Size
600x1200mm



Ocane INFINITO
COLLECTION

LAMIA BEIGE

 **9mm**
Thickness

60 x 120 cm

- | | | |
|--|--|--|
| 
high
strength | 
maintenance
free | 
eco
friendly |
| 
random
designs | 
< 0.08% water
absorption | 
chemical
resistant |







infinite possibilities



... La Marmo Infinito ...

MIRAGE NATURAL

600x1200mm



Ocane
INFINITO
COLLECTION

MIRAGE NATURAL

POLISHED SURFACE



Size
600x1200mm

PERLATO ROYAL

 **9mm**
Thickness

60 x 120 cm



high
strength



maintenance
free



eco
friendly



random
designs



< 0.08% water
absorption



chemical
resistant








Oc INFINITO
ane
COLLECTION

SATARIO VELENCIA

 **9mm**
Thickness

60 x 120 cm

- | | | |
|--|--|--|
| 
high
strength | 
maintenance
free | 
eco
friendly |
| 
random
designs | 
< 0.08% water
absorption | 
chemical
resistant |







infinite possibilities



STATUARIO VENUS

600x1200mm



INFINITO
Oclane
COLLECTION

STATUARIO VENUS


POLISHED SURFACE



Size
600x1200mm



infinite possibilities



 **ENDMATCH**
... La Marmo Infinito ...

TURKISH WHITE

600x1200mm



Ocane
COLLECTION

TURKISH WHITE

POLISHED SURFACE



Size
600x1200mm



OHAYO LIGHT

SIZE : 600x1200mm



OHAYO DARK

SIZE : 600x1200mm





Wall : Ohayo Dark / Floor : Ohayo Light
Size : 600x1200mm




OREGON LIGHT

SIZE : 600x1200mm



OREGON DARK

SIZE : 600x1200mm






Wall : Oregon Dark / Floor : Oregon Light
Size : 600x1200mm




BROOKLYN LIGHT

SIZE : 600x1200mm



BROOKLYN DARK

SIZE : 600x1200mm





Wall : Brooklyn Dark / Floor : Brooklyn Light
Size : 600x1200mm



DECORE
COLLECTION




SHINY TRIMS DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 3 FACE

SURFACE : GLOSSY




ZESTY OLIVE

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACE

SURFACE : GLOSSY







SNOW FLAKE DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACE

SURFACE : GLOSSY



ZESTY BONE


SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACE

SURFACE : GLOSSY







ZESTY SWISS

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACE

SURFACE : GLOSSY





TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP BIa)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm2	>40N/mm2
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm2	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Eden Ceramic City, Opp Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

Domestic Inquiry

+91 97277 70313
pratik@reycera.com

Export Inquiry

+91 98791 00954
anand@reycera.com

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD

SIMBEL CERAMIC PVT. LTD.

ADORATION CERAMICA PVT. LTD.

LETOZA GRANITO LLP.

REY CERA EXIM LLP

REY INTERNATIONAL LLP



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)