



Ceramic Book / **600x1200mm**



Welcome
to the World of
Rey Cera

For over 25 years we have combined our ceramics making tradition with innovative technology and a forward thinking style. Now, we are an international group that gathers together the most reputable ceramic and porcelain tile brands under its name and whose orientation will help us to expand and consolidate our vision.

Supported by our research and design activities, we think beyond the mere manufacture of tiles, striving instead to produce lasting quality.



TRUMATT

COLLECTION

The PUNCH Collection delivers knockout design through three distinctive texture personalities from the urban poetry of concrete to the linear luxury of soft surfaces and the wild beauty of rustic stone. Each collection showcases sophisticated finishes that celebrate authentic texture and natural character.



TECHNICAL Features



Low Water
Absorption



Stain
Resistance



Bending
Strength



Frost
Resistance



More
Durability.



Temperature
Resistance



Chemical
Resistance



Scratch
Resistance



Wear &
Tear Resistance




Anti Slip
Surface



1st and only ceramic company
to introduce patented
ENDMATCH
concept across the world !




1ST TIME
IN
WORLD



Concrete Couture Industrial Elegance Perfected

The Collection redefines concrete chic with masterful texture artistry. The sophisticated surface celebrates raw industrial beauty, awakening concrete textures with refined character that transforms urban grit into pure glamour.

Step into the future of industrial design where concrete becomes canvas. The collection masters the art of controlled chaos, turning harsh textures into harmonious surfaces that radiate with inner strength. This isn't just concrete it's concrete consciousness.



Size
600x1200mm

Thickness
9mm

Concrete
Punch

TRUMATT
COLLECTION







PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

NIVEA BEIGE CRP



NIVEA BEIGE









PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

NIVEA BIANCO CRP



NIVEA BIANCO







PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

NIVEA BROWN CRP



NIVEA BROWN





Nivea Brown Crp
600x1200mm



Nivea Brown
600x1200mm

www.reycera.com




PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness


NIVEA CREAM CRP



NIVEA CREAM







PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

NIVEA GREY CRP



NIVEA GREY







PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

NIVEA NERO CRP



NIVEA NERO





Rustic Refined,
Naturally Divine


The Collection celebrates the untamed beauty of natural stone with rustic textures that honor authenticity. The sophisticated finish preserves nature's raw character, illuminating every crevice and contour to turn rustic charm into radiant artistry.

Size
600x1200mm

Thickness
9mm

Rustic
Punch

Discover the beauty in everyday life. This collection brings the outdoors inside, combining natural textures with modern style. Watch how light turns rough surfaces into stunning pieces, showing that elegance and ruggedness can work well together.



TRUMATT
COLLECTION




PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

DOANTOAN BEIGE RSP



DOANTOAN BEIGE





Doantoan Beige Rsp
600x1200mm



Doantoan Beige
600x1200mm

www.reycera.com




PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

DOANTOAN BIANCO RSP



DOANTOAN BIANCO





Doantoan Bianco Rsp
600x1200mm



Doantoan Bianco
600x1200mm

www.reycera.com



PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

DOANTOAN BROWN RSP



DOANTOAN BROWN





Doantoan Brown Rsp
600x1200mm



Doantoan Brown
600x1200mm

www.reycera.com




PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

DOANTOAN CREAM RSP



DOANTOAN CREAM





Doantoan Cream Rsp
600x1200mm



Doantoan Cream
600x1200mm

www.reycera.com




PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

DOANTOAN GREY RSP



DOANTOAN GREY





Doantoan Grey Rsp
600x1200mm



Doantoan Grey
600x1200mm

www.reycera.com



PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

DOANTOAN NERO RSP



DOANTOAN NERO





Doantoan Nero Rsp
600x1200mm



Doantoan Nero
600x1200mm

www.reycera.com

Soft Touch, Strong Statement


Feel the difference refinement makes. The collection proves that power doesn't need volume sometimes a whisper creates the most profound echo. Let your walls speak softly but carry visual weight that transforms any space into a testament to thoughtful design.

Size
600x1200mm

Thickness
9mm


Softliner
Punch

The Collection masters the art of gentle impact through its signature soft[®]liner aesthetic. The refined surface delivers timeless elegance, where embossed patterns create dimensional magic that shifts with every passing hour.



TRUMATT
COLLECTION







PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

JEMMA BEIGE SLP



JEMMA BEIGE





Jemma Beige Slp
600x1200mm



Jemma Beige
600x1200mm


www.reycera.com




PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

JEMMA BIANCO SLP



JEMMA BIANCO





Jemma Bianco Slp
600x1200mm



Jemma Bianco
600x1200mm

www.reycera.com




PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

JEMMA BROWN SLP



JEMMA BROWN








PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

JEMMA CREAM SLP



JEMMA CREAM





Jemma Cream Slip
600x1200mm



Jemma Cream
600x1200mm

www.reycera.com



PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness


JEMMA GREY SLP



JEMMA GREY







PUNCH COLLECTION

600x1200mm / Rustic Matte Surface / 8.5mm Thickness

JEMMA NERO SLP



JEMMA NERO





EXPORTS WORLDWIDE

U.S. TERRITORY



ASIAN TERRITORY



SOUTH AMERICA / LATIN AMERICA TERRITORY



EUROPE & BALCON TERRITORY



NORTH AFRICA TERRITORY



MIDDLE EAST TERRITORY



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	MEAN VALUE OF REY	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm³	Max. 132mm³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value))##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

SIZE	ACTUAL SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
60x120cm	600x1200mm	8.5mm	3 pcs.	2.16 sq. mtr.	23.25 sq. ft.
60x120cm	600x1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.



CORPORATE OFFICE:
Eden Ceramic City, Opp Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

Domestic Inquiry

+91 97277 70313
pratik@reycera.com

Export Inquiry

+91 98791 00954
anand@reycera.com

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD
LIZON CERAMICA PVT. LTD.
ADORATION CERAMICA PVT. LTD.



WEB: www.reycera.com

Join us on: [f](#) [@](#) [t](#) [in](#)