





**600x1200MM
CARVING SURFACE**

www.reycera.com



**“Crafting Beautiful Spaces
With Our Tiles.”**



The History Of Rey Cera


Rey Cera, a company founded in 1990, has been manufacturing and selling integral porcelain tiles for all kinds of flooring and wall tiling solutions.

The manufacturing plant and main offices in Morbi, Gujarat IN, and the Worldwide logistics warehouses, make it possible to supply and deliver all the items in customers' orders. Through its national and international distribution network, Rey Cera exports tiles to more than 85 countries in all five continents.

As a result of our commitment to quality, all of our products comply with the guidelines of the ISO 9001:2000 standard, which guarantees that our research, development and commercializations are carried out with the maximum guarantees.

www.reycera.com





“A Wide Inspired Selection.”

An accurate selection of fine tiles that epicates to meet the aesthetic and practical needs of every interior design project: the tiles of classical tradition have always been the protagonists of architecture in warm and cool tones, Italian marbles recognized all over the world for their purity, original colors reinterpreted and proposed in a new perspective.

Technical Details



Scratch
Resistance



UV Rays
Resistance



Easy To
Clean



Fire
Resistance



Frost
Resistance



Impact
Resistance



Water
Resistance



Stain
Resistance




Hygienic
Surface



Chemical
Resistance

600x1200MM



“Surfaces That Emphasize The Balance Of Comfort And Elegance.”

An accurate selection of fine marbles that epicates to meet the aesthetic and practical needs of every interior design project: the Tiles of classical tradition have always been the protagonists of architecture in warm and cool tones, Italian marbles recognized all over the world for their purity, original colors reinterpreted and proposed in a new perspective.

Carving-effect Stoneware designed to be used on any surface: floors, walls, and architectural volumes. The 60x120cm formats with a-09 mm thickness are perfect for seamlessly cladding walls, reducing the interruptions and horizontal joints, ensuring an aesthetic continuity between the floor and the wall.

Application Areas



AIRPORTS



HOTELS



OFFICES



MUSEUMS



SHOPS



HOMES




SPA AND
WELLNESS



RESTAURANTS

1st ceramic company to introduce patented **E N D M A T C H** Concept across the world!



**INTELLECTUAL
PROPERTY INDIA**
PATENTS | DESIGNS | TRADE MARKS
GEOGRAPHICAL INDICATIONS



**1ST
TIME
IN
WORLD**

**600X
600MM**

**600X
1200MM**

**800X
1600MM**

**1200X
1800MM**

Matt Carving 600X1200MM

Carving tiles is a creative and intricate art form that involves carving designs and patterns into various types of tiles, such as ceramic, clay, marble, or stone.

www.reycera.com





REVEL IN THE SOMBER AMBIANCE WITH SURFACES

ARIS BIANCO / 600x1200mm
Finish : Carving



Carving
600x1200MM

ARIS BIANCO



Design variants : Random Design
Size : 600x1200mm
Finish : Carving







URBAN DESIGN AND CLASSIC NARRATIVE

ARIS GREY / 600x1200mm
Finish : Carving



Carving
600x1200MM

ARIS GREY



Design variants : Random Design
Size : 600x1200mm
Finish : Carving







TILES WITH BEAUTIFUL PATTERNS AND CREATIVE POTENTIAL

INVICIBLE WHITE / 600x1200mm
Finish : Carving



Carving
600x1200MM

INVICIBLE WHITE



Design variants : Random Design
Size : 600x1200mm
Finish : Carving









THE MAGNIFICENT SURFACES IN YOUR SPACE.

NESIA BEIGE / 600x1200mm
Finish : Carving



NESIA BEIGE



Design variants : Random Design
Size : 600x1200mm
Finish : Carving








GIVE WINGS
TO YOUR
IMAGINATION.

NESIA BROWN / 600x1200mm
Finish : Carving



Carving
600x1200MM

NESIA BROWN



Design variants : Random Design
Size : 600x1200mm
Finish : Carving








EMBRACE A GRANDER LIVING AND LIFESTYLE

SACKCLOTH WHITE / 600x1200mm
Finish : Carving



Carving
600x1200MM


SACKCLOTH WHITE



Design variants : Random Design
Size : 600x1200mm
Finish : Carving








DIAMOND DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'


SURFACE : CARVING



DIAMOND DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



DIAMOND DECOR F3

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



DIAMANT GREY

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING






MOSAICO BONE DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



MOSAICO BONE DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'


SURFACE : CARVING



DIAMANT NERO

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 1 FACE
SURFACE : CARVING








INSERTO DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING




AIRSLATE HONEY

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING








A CONTRAST BETWEEN THE NATURAL WORLD AND HI-TECH DETAILS

CLOUD ONYX / 600x1200mm
Finish : Carving



Carving
600x1200MM

CLOUD ONYX



Design variants : Random Design
Size : 600x1200mm
Finish : Carving






SIZE : 600x1200mm

FINISH : Carving

AUSTIN DARK



AUSTIN LIGHT



Waterproof



Scratch
Resistant



Ecology



Hygienic
Surface



Stain
Resistant



Frost
Resistant




Wall : Austin Dark / Floor : Austin Light
Size : 600x1200mm / Finish : Carving

SIZE : 600x1200mm

FINISH : Carving

BEVER DARK



BEVER LIGHT



Waterproof



Scratch
Resistant



Ecology



Hygienic
Surface



Stain
Resistant



Frost
Resistant




Wall : Bever Dark / Floor : Bever Light
Size : 600x1200mm / Finish : Carving



TRANSFORM THE INTERIOR IS A REAL MASTERPIECE

WHITE ONYX / 600x1200mm
Finish : Carving



WHITE ONYX



Design variants : Random Design
Size : 600x1200mm
Finish : Carving







SIZE : 600x1200mm

FINISH : Carving

ATLANTICA CREMA LIGHT



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant



Frost Resistant



Wall : Atlantica Sunglow Dark / Floor : Atlantica Crema Light
Size : 600x1200mm / Finish : Carving



SIZE : 600x1200mm

FINISH : Carving

LUNA GREY DARK



LUNA GREY LIGHT



Waterproof



Scratch Resistant



Ecology



Hygienic Surface



Stain Resistant



Frost Resistant



Wall : Luna Grey Dark / Floor : Luna Grey Light
Size : 600x1200mm / Finish : Carving




HIGH TECHNOLOGY FOR CONTEMPORARY DESIGN

CRESTAL ONYX / 600x1200mm
Finish : Carving



Carving
600x1200MM


CRESTAL ONYX




Design variants : Random Design
Size : 600x1200mm
Finish : Carving







infinite possibilities



CHAMPION BEIGE

600x1200mm



CHAMPION BEIGE

CARVING SURFACE



Size
600x1200mm



infinite possibilities



 **ENDMATCH**
... La Marmo Infinito ...

CHAMPION BROWN

600x1200mm



CHAMPION BROWN

CARVING SURFACE



Size
600x1200mm



*infinite
possibilities*



HERCULAS OAT

600x1200mm




HERCULAS OAT


CARVING SURFACE



Size
600x1200mm



infinite possibilities



HERCULAS SKY

600x1200mm



HERCULAS SKY

CARVING SURFACE




Size
600x1200mm



**600x1200MM
SUGAR + CARVING**

www.reycera.com



**STRING
BLACK**

Format
60x120cm
2'x4'

Surface
**HIGHLY SPARKING GLAZE
WITH A LAYER OF SHEET**

Composition
4 Pieces

BRILLAR
surface



SUGAR + CARVING



 **ENDMATCH®**
...La Marmo Infinito...

BY







COLLECTION 22

Plazma
The Living Emotion ■■■■■




Plazma
The Living Emotion ■■■■■



KING WOOD
RED

600x
1200mm



www.reycera.com



Plazma
The Living Emotion ■■■■■■

KING WOOD RED
600x1200mm





Plazma
The Living Emotion ■■■■■



WILD WOOD

600x
1200mm



www.reycera.com



Plazma
The Living Emotion ■■■■■

WILD WOOD
600x1200mm





TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP BIa)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm2	>40N/mm2
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm2	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Eden Ceramic City, Opp Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

Domestic Inquiry

+91 97277 70313
pratik@reycera.com

Export Inquiry

+91 98791 00954
anand@reycera.com

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD

SIMBEL CERAMIC PVT. LTD.

ADORATION CERAMICA PVT. LTD.

LETOZA GRANITO LLP.

REY CERA EXIM LLP

REY INTERNATIONAL LLP



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)
