



**600x1200MM
HIGH GLOSS SURFACE**

www.reycera.com



“Where Excellence, Meets Innovation.”

Rey Cera, a company founded in 1990, has been manufacturing and selling integral porcelain tiles for all kinds of flooring and wall tiling solutions.

The manufacturing plant and main offices in Morbi, Gujarat IN, and the Worldwide logistics warehouses, make it possible to supply and deliver all the items in customers' orders. Through its national and international distribution network, Rey Cera exports tiles to more than 85 countries in all five continents.

As a result of our commitment to quality, all of our products comply with the guidelines of the ISO 9001:2000 standard, which guarantees that our research, development and commercializations are carried out with the maximum guarantees.

“For The Symmetry & Ease Of Design.”

High-gloss tiles are a popular choice for both residential and commercial spaces due to their attractive appearance and numerous practical benefits. These tiles are known for their shiny, reflective surface that adds a touch of sophistication and elegance to any room.

Technical Details



Scratch
Resistance



UV Rays
Resistance



Easy To
Clean



Fire
Resistance



Frost
Resistance



Impact
Resistance



Water
Resistance



Stain
Resistance



Hygienic
Surface



Chemical
Resistance


600x1200MM



“Reflecting Elegance, Shininh Brilliance.”


In summary, high-gloss tiles offer a stylish and reflective surface that can elevate the look of your home. Whether you choose ceramic, porcelain, or glass, these tiles can bring a sense of luxury and sophistication to your interior design while being relatively easy to maintain. However, they should be selected and installed with care to ensure they are suitable for the intended application.

Application Areas



For
The Love
Of
Luxury

1st ceramic company to introduce patented **E N D M A T C H** Concept across the world!



**INTELLECTUAL
PROPERTY INDIA**
PATENTS | DESIGNS | TRADE MARKS
GEOGRAPHICAL INDICATIONS



**1ST
TIME
IN
WORLD**

**600X
600MM**

**600X
1200MM**

**800X
1600MM**

**1200X
1800MM**

NEW ARRIVAL

G^{HIGH}
Gloss

Fluorecento
Surface

PRISM
COLLECTION



AGATA
BLACK


9mm
Thickness

60 x 120 cm

- high strength
- maintenance free
- eco friendly
- random designs
- < 0.08% water absorption
- chemical resistant







NEW ARRIVAL

High
Gloss

Fluorecento
Surface

PRISM
COLLECTION



AGATA
BLUE

9mm
Thickness

60 x 120 cm

- high strength
- maintenance free
- eco friendly
- random designs
- < 0.08% water absorption
- chemical resistant





7^{HIGH}
GLOSS

Fluorecento
Surface

SPECTRUM
COLLECTION

*infinite
possibilities*

ENDMATCH
... La Marmo Infinito ...


BRUSSA RED

600x1200mm




BRUSSA RED

HIGH GLOSS SURFACE



Size
600x1200mm



G^{HIGH}
GLOSS

Fluorecento
Surface

PRISM
COLLECTION



CREOS TEAL

 9mm
Thickness

60 x 120 cm
High Gloss
Fluorescento Surface

- | | | |
|--|--|--|
| 
high
strength | 
maintenance
free | 
eco
friendly |
| 
random
designs | 
< 0.08% water
absorption | 
chemical
resistant |





7^{HIGH}
Gloss

Fluorecento
Surface

PRISM
COLLECTION

*infinite
possibilities*



ENDMATCH
... La Marmo Infinito ...

LIPICA BLUE



600x1200mm





LIPICA BLUE

HIGH GLOSS SURFACE



Size
600x1200mm

HIGH
GLOSS

Fluorecento
Surface


SPECTRUM
COLLECTION

*infinite
possibilities*

ENDMATCH
... La Marmo Infinito ...

PLAZZO AQUA


600x1200mm





PLAZZO AQUA

HIGH GLOSS SURFACE



Size
600x1200mm

“ASTUTE SURFACES
FOR REDEFINING
AND REFRESHING
INTERIORS.”



G^{HIGH}LOSS

infinite possibilities



COSMIC BLACK

600x1200mm







COSMIC BLACK

HI-GLOSSE SURFACE



Size
600x1200mm

infinite possibilities




GALAXY BLACK NEW

600x1200mm



GALAXY BLACK NEW

HI-GLOSSE SURFACE



Size
600x1200mm



TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP Bla)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm2	>40N/mm2
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BLA	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm2	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Eden Ceramic City, Opp Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

Domestic Inquiry

+91 97277 70313
pratik@reycera.com

Export Inquiry

+91 98791 00954
anand@reycera.com

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD

SIMBEL CERAMIC PVT. LTD.

ADORATION CERAMICA PVT. LTD.

LETOZA GRANITO LLP.

REY CERA EXIM LLP

REY INTERNATIONAL LLP



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)